Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

S. J. SOWINSKI, LCDR, U.S.N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
U.S. PACIFIC Fleet,
____ Naval District,

Commencing 0001 1 May (zone time and date), 19 62,

at Seattle, Washington (location),

and ending 2400 31 May (zone time and date), 19 62,

at Pearl Harbor, Hawaii (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ _____ _____, 19__

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +7 DATE TUESDAY (Day) 1 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ SEATTLE, WASHINGTON TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	300	4	7	BKN	29.99	44	41	8	1050	SC			
02	300	4	7	BKN	29.99	44	41	8	1050	SC			
03	300	4	7	BKN	30.00	45	41	7	1400	CU			
04	305	5	7	BKN	30.00	45	42	7	1050	CU			
05	305	7	7	BKN	30.01	45	42	7	1050	CU			
06	305	6	7	BKN	30.02	46	42	7	1400	CU			
07	300	5	7	BKN	30.04	46	43	6	1050	CU			
08	305	5	7	BKN	30.04	47	44	6	1050	CU			
09	305	6	7	BKN	30.04	48	44	6	1400	CU			
10	300	8	7	SCT	30.03	49	45	5	1400	CU			
11	300	8	7	SCT	30.03	49	45	5	1400	CU			
12	305	10	7	SCT	30.03	50	45	4	1750	AC			
13	310	7	7	SCT	30.02	52	47	4	1750	AC			
14	315	7	7	SCT	30.02	53	47	4	2100	AC			
15	315	5	7	SCT	30.04	52	45	3	1750	AC			
16	330	5	7	SCT	30.05	52	45	4	1750	AC			
17	330	5	7	SCT	30.04	51	43	4	2100	AC			
18	325	3	7	SCT	30.03	50	43	5	1750	AC			
19	330	3	7	BKN	30.03	49	43	6	1400	AC			
20	325	4	7	BKN	30.01	48	43	6	1400	AC			
21	330	2	7	BKN	30.00	44	41	8	1050	CU			
22	330	2	7	BKN	29.99	44	40	8	1400	CU			
23	310	3	7	BKN	29.98	43	40	8	1050	SC			
24	305	2	7	BKN	29.97	43	40	8	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 402

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SEVEN (7) AT PIER NINETY (90) U.S. NAVAL SUPPLY DEPOT, SEATTLE WASHINGTON WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, RCNS MEI LO, PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDING OFFICER USS WHETSTONE (LSD-27)

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED: C. LCDR, U. S. N. COMMANDING

EXAMINED: E.B. Masch LT JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 1 (Date) MAY (Month), 1962

08-12 Moored as before. 0850 Made daily inspection of magazines and smokeless powder samples; Conditions, normal.

J. J. Stipp, CWO, USN.

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before, 1900 Set material condition "Zebra" Second deck and below.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +8 EBM 7 DATE WEDNESDAY (Day) 2 (Date) MAY (Month), 19 62

AT ~~PASSAGE FROM~~ SEATTLE, WASHINGTON TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	310	4	7	BKN	29.97	43	40	7	1050	SC			
02	310	4	7	BKN	29.97	43	40	7	1050	SC			
03	310	3	7	BKN	29.98	44	40	8	1400	CU			
04	305	2	6	BKN	29.98	44	41	8	1050	CU			
05	305	5	6	OVC	29.98	45	41	9	1400	CU			
06	305	5	6	OVC	29.98	45	42	10	1050	CU			
07	310	4	6	BKN	29.99	46	42	8	1400	AC			
08	310	7	6	OVC	29.98	47	43	9	1400	AC			
09	300	9	7	BKN	30.01	47	43	8	1050	AC			
10	300	9	7	BKN	30.03	49	44	8	1750	AC			
11	295	11	7	SCT	30.04	50	44	5	2100	AC			
12	295	10	7	SCT	30.05	52	46	5	2100	AC			
13	300	8	7	BKN	30.06	53	46	6	2450	AC			
14	300	9	5	L	30.05	53	46	9	2450	AC			
15	300	8	7	BKN	30.06	53	47	6	2100	AC			
16	300	7	7	BKN	30.05	54	47	6	2450	AC			
17	300	7	7	SCT	30.04	53	46	5	2450	AC			
18	305	4	7	SCT	30.03	52	45	4	2450	AC			
19	310	4	7	SCT	30.03	51	45	5	2100	AC			
20	315	6	7	BKN	30.02	49	44	6	1750	AC			
21	310	5	7	BKN	30.01	48	44	6	1400	CU			
22	330	3	7	SCT	30.00	47	43	5	1400	CU			
23	330	5	7	SCT	29.99	45	42	5	1050	SC			
24	325	4	7	SCT	29.98	43	42	5	350	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 204

REMARKS

00-04 Moored starboard side to berth seven (7), pier ninety (90), U.S. Naval Supply Depot, Seattle, Washington with four (4) stand and mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, RCNS ~~Fairmile~~ Mei Lo, yard and district craft. SOPA is Commanding Officer, USS Whetstone (LSD 27).

J. J. Stipp, CWO, USN.

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection: absentees: Couture, Fernand, (N), 320-29-26, RM1, USN and Davis, Henry, (N), 483-57-38, SM3N, USN.

J. J. Stipp, CWO, USN.

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: E. B. Mash LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 2 (Date) MAY (Month), 1962

Ø8-12: MOORED AS BEFORE. ØSHØ MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

[signature], ENS, USNR

12-16: MOORED AS BEFORE. 1348 COUTURE, FERNAND (N), ~~330-29-26~~ 901 76 72 NHS RM 1, U.S.N. RETURNED ON BOARD AFTER BEING ABSENT OVER LIBERTY SINCE Ø73Ø 2 MAY 1962, A PERIOD OF SIX(6) HOURS AND EIGHTEEN(18) MINUTES.

[signature], ENS, USNR

16-2Ø: MOORED AS BEFORE. 1654 U.S.S. INTERCEPTOR (AGR-8) MOORED STARBOARD SIDE TO PIER 91. 18ØØ SET MATERIAL CONDITION YOKE.

[signature], ENS, USNR

2Ø-24: MOORED AS BEFORE.

[signature], ENS, USNR

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +7 DATE THURSDAY (Day) 3 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ SEATTLE, WASHINGTON ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	5	6	SCT	29.96	43	40	4	700	SC			
02	330	5	6	SCT	29.96	43	40	4	700	SC			
03	330	7	6	SCT	29.96	43	40	3	1050	SC			
04	335	6	6	SCT	29.97	43	41	3	700	SC			
05	335	6	6	SCT	29.97	44	41	3	1050	SC			
06	340	5	7	SCT	29.97	45	42	3	1050	SC			
07	345	5	7	SCT	29.97	48	44	4	1400	CU			
08	345	7	7	SCT	29.98	49	45	3	1400	CU			
09	345	8	7	SCT	29.98	51	47	3	1400	CU			
10	345	8	7	SCT	29.97	53	47	3	1750	CU			
11	350	7	7	SCT	29.98	55	48	3	2450	AC			
12	350	5	7	SCT	29.98	55	48	3	2450	AC			
13	350	5	7	SCT	29.98	56	50	3	2100	AC			
14	350	4	7	SCT	29.98	57	50	3	2450	AC			
15	340	4	7	SCT	30.00	55	49	3	2100	AC			
16	335	7	7	SCT	30.01	54	48	3	2100	AC			
17	335	6	7	SCT	30.02	52	46	2	2100	AC			
18	305	6	7	SCT	30.03	51	45	2	2100	AC			
19	155	6	7	SCT	30.03	50	45	2	1750	CU			
20	180	7	7	SCT	30.04	48	44	2	1400	CU			
21	170	5	6	SCT	30.06	46	44	2	700	SC			
22	175	3	6	SCT	30.12	45	42	1	1050	SC			
23	175	2	6	SCT	30.14	44	41	2	1050	SC			
24	180	2	6	SCT	30.17	43	41	2	700	SC			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 789

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH SEVEN(7), PIER 90, U.S. NAVAL SUPPLY DEPOT, SEATTLE, WASHINGTON WITH FOUR(4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, RCNS MEI LO (LSM-256), YARD AND DISTRICT CRAFT. S.O.P.A. IS COMMANDING OFFICER, U.S.S. WHETSTONE (LSD-27)

W. K. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEE: DAVIS, HENRY (N), 483-57-38, SMSN, U.S.N.

W. K. Swan, ENS, USNR

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THORSDAY (Day) 3 (Date) May (Month), 1962

08-12 Moored as before. 0810 Made daily inspection of magazine temperature and smokeless powder samples Condition normal.

J.E. Haffey CWO U.S.N.

12-16. Moored as before.

J.E. Haffey CWO U.S.N.

16-20 Moored as before. 1800 Set material condition Yoke Afterend deck and below

J.E. Haffey CWO U.S.N.

20-24 Moored as before

J.E. Haffey CWO U.S.N.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 DATE FRIDAY (Day) 4 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ SEATTLE WASHINGTON TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	185	2	5	SCT	30.18	43	40	2	1050	SC			
02	200	2	5	SCT	30.19	43	39	2	1400	CU			
03	245	2	5	SCT	30.19	43	39	2	1400	CU			
04	245	2	5	SCT	30.19	43	39	2	1400	CU			
05	300	2	5	SCT	30.20	43	39	3	1400	CU			
06	330	2	5	SCT	30.20	42	40	3	700	CU			
07	355	2	5	SCT	30.21	42	40	4	700	SC			
08	025	4	7	SCT	30.21	45	42	4	1050	SC			
09	355	5	7	SCT	30.21	50	45	4	1750	AC			
10	335	9	7	BKN	30.21	51	46	6	1750	AC	51	290	1
11	295	6	7	BKN	30.21	50	45	4	1750	AC	51	290	1
12	290	7	7	BKN	30.19	47	42	6	1750	AC	51	290	1
13	270	4	7	SCT	30.20	46	41	5	1750	AC	51	290	1
14	240	6	7	SCT	30.20	49	45	5	1400	CU	51	290	2
15	270	3	7	SCT	30.20	48	45	4	1050	CU	51	290	2
16	325	9	7	SCT	30.19	49	45	4	1400	CU	53	290	2
17	320	14	7	SCT	30.15	46	44	4	700	SC	53	280	2
18	340	13	7	SCT	30.13	45	43	5	1050	SC	53	280	2
19	270	10	7	SCT	30.11	44	42	5	700	SC	53	275	3
20	270	11	7	BKN	30.16	45	41	6	1400	CU	53	260	3
21	265	13	7	BKN	30.16	45	40	7	1750	AC	53	245	3
22	255	12	7	BKN	30.17	46	41	7	1750	AC	53	240	3
23	250	12	7	BKN	30.18	46	41	7	1750	AC	53	240	3
24	255	13	7	BKN	30.19	46	41	7	1750	AC	53	240	3

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L 48-17.4 N		BY 3
λ 123-53.3 W		BY 3
2000 L 47-51 N		BY 2
λ 126-23 W		BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 259.8

FUEL CONSUMED 0000-2400: 1,950

REMARKS

00-04. Moored Starboard side to berth Seven (7) pier Ninety (90) U.S. Naval Supply Depot Seattle, Washington with four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present included various ships and units of the U.S. Pacific Fleet. RCNS MEI-LO (CTSM-256). SOPA is Commanding Officer U.S.A. Whetstone (LSD-27).

J.E. Hoffey CWO USN.

04-08. Moored as before. 0600 Commenced preparations for getting underway. 0618 DAVIS, HENRY 483-57-38 SMSN USN returned on board unauthorized absent since 0730 Wednesday 2 May 1962. 0630 ROBINSON, HUGH. J. 457-27-62 EN3 USN returned on board UA since 0600 Friday 4 MAY 1962. 0635. CARLILE, JAMES C SF3 returned aboard UA since 0600 Friday 4 May 1962 (CONT [illegible])

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 4 (Date) MAY (Month), 1962

04-08 (CON'T) 0633 Mustered Crew at Quarter for muster and inspection. Absentee non. 0645 Stationed the special sea detail. 0650 Completed all preparation for getting underway. Draft forward 13'10", aft 16'. 0656. Underway from Berth Seven (7) Pier 90 U.S. Naval Supply Depot, Seattle, Washington in accordance with CINCPACFLT 1962 fourth Quarter Op Sked for Pearl Harbor, Hawaii Maneuvering to clear the pier. Captain Canning, Navigater on the bridge. 0700 Steering various courses at various speeds standing out of Seattle Harbor.

J.A. Hoffey CWO U.S.N.

08-12 Underway as before. Course 335°. Speed 110 RPM (13.3 kts) 0813 C/C 350°T PSTGC 323°. 0832 C/C 310°T PSTGC 283° 0901 C/C 270° PSTGC 245°. 0918 Lit off degaussing. 1037 C/C 285° PSTGC 260°. 1043 Entered international waters. 1052 Made daily inspection of magazine and smokeless power samples. Condition normal. Made weekly test of magazine sprinkling and flooding system; Condition satisfactory.

J.A. Hoffey CWO U.S.N.

12-16 UNDERWAY AS BEFORE. 1333 C/C TO 283°T. 1450 WITH CAPE FLATTERY LIGHT BEARING 203°T C/C TO 270°T. 1456 PASSED CAPE FLATTERY LIGHT ABEAM TO PORT, DISTANCE 3 MILES, COMPLETED TRANSIT OF STRAITS OF JUAN DE FUCA. 1511 WITH CAPE FLATTERY LIGHT BEARING 140°T C/C TO 255°T.

E.B. Masch LTJG USNR

16-18: UNDERWAY AS BEFORE. 1613 C/C TO 232°

W.L. Seddon, ENS, USNR

18-20 UNDERWAY AS BEFORE. 1800 RETARDED ALL CLOCKS ONE (1) HOUR TO CONFORM WITH PLUS ~~NINE~~ TEN (+9) TIME ZONE. 1848 C/C TO 228° T.

E.B. Masch LTJG USNR

20-24 Underway as before. 2246 C/C to 232° PGC, 233° T, 205° PSTGC.

J.J. Hupp, CWO, USN.

APPROVED: [signature] COR U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 DATE SATURDAY (Day) 5 (Date) MAY (Month), 1962

~~AT~~PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	17	7	BKN	30.19	43	41	7	700	CU	53	350	2
02	335	11	7	SCT	30.19	44	39	4	1750	AC	53	330	2
03	330	10	7	FW	30.18	45	48	8	1050	SC	53	350	2
04	345	9	7	SCT	30.20	46	43	5	1050	SC	53	360	2
05	360	9	7	SCT	30.20	46	43	5	1050	SC	53	360	2
06	385	9	7	BKN	30.21	47	43	7	1400	SC	53	370	2
07	375	7	7	BKN	30.21	50	44	7	2100	AC	53	360	2
08	350	5	7	SCT	30.21	51	47	5	1400	AC	53	345	2
09	360	8	7	BKN	30.21	50	45	6	1750	AC	53	345	2
10	350	7	7	BKN	30.22	50	44	6	2100	AC	53	345	3
11	370	10	7	BKN	30.22	49	45	7	1400	AC	53	365	3
12	355	8	7	BKN	30.23	49	45	7	1400	AC	53	360	3
13	350	8	7	BKN	30.23	51	46	7	1750	AC	53	360	3
14	365	11	7	SCT	30.22	51	46	5	1750	AC	53	360	3
15	380	9	7	SCT	30.21	50	45	4	1750	AC	53	360	3
16	300	5	7	SCT	30.22	50	46	5	1400	AC	54	380	3
17	315	8	7	SCT	30.21	50	46	5	1400	AC	54	390	3
18	340	9	6	SCT	30.21	49	45	5	1400	AC	54	300	3
19	005	9	6	SCT	30.20	48	45	5	1050	SC	54	350	3
20	005	12	7	BKN	30.20	48	44	6	1400	CU	54	000	3
21	000	17	6	h	30.22	47	43	8	1400	CU	54	000	3
22	080	19	7	SCT	30.22	47	43	5	1400	CU	55	010	4
23	095	21	6	BKN	30.23	47	43	6	1400	CU	55	090	4
24	095	17	7	SCT	30.24	46	44	5	700	SC	55	090	4

POSITION	ZONE	TIME
0800 L	46-10 N	BY 1111
λ	129-23 W	BY 1111
1200 L	45-38.5 N	BY 2
λ	130-22 W	BY 2
2000 L	44-31 N	BY 1
λ	132-21 W	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 323.8

FUEL CONSUMED 0000-2400: 3,171

REMARKS

00-04 Enroute independently from Seattle Washington to Pearl Harbor, Hawaii in accordance with CINC PAC FLT 1962 fourth quarter op sked on course 232°-278° (gyro) speed 115 RPM (13.8 kts) With number 2, 3, and 4 main generators in the propulsion loop number one emergency on ships power and excitation. Material Condition Yoke set throughout the ship

J. A. Joffrey CWO U.S.N.

04-08: UNDERWAY AS BEFORE. TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY

A. A. Larson, ENS, USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LT JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SATORDAY (Day) 5 (Date) MAY (Month), 19 62

08-12 Underway as before. 0800 dismissed the crew on stations; absentees, none. 0845 made daily inspection of magazines and smokeless powder samples; conditions, normal.

J.G. Hipp, CWO, USN.

12-16. Underway as before. 1220 Received Ships Position Report Latitude 45-38.5 N Longitude 130-22 W. 1442 C/C 223° PGC 206° PSTGC.

J.E. Hoffey CWO U.S.N.

16-18: UNDERWAY AS BEFORE.

H.K. Seaver, ENS. USNR

18-20 UNDERWAY AS BEFORE.

E.B. Masch LTJG USNR

20-24. Underway as before. 2343. Radar out of Commission

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 DATE SUNDAY (Day) 6 (Date) MAY (Month), 1962

~~AT~~/PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	350	18	7	SCT	30.24	48	45	4	1050	CU	55	095	2
02	080	21	7	SCT	30.22	47	45	1	700	CU	55	095	2
03	030	19	7	SCT	30.23	48	46	2	700	CU	55	095	2
04	085	18	7	SCT	30.23	48	46	2	700	CU	55	030	3
05	015	23	7	SCT	30.24	48	45	3	1050	CU	55	080	3
06	085	23	7	SCT	30.26	48	45	3	1050	CU	55	080	3
07	030	21	7	BKN	30.28	50	46	4	1400	CC	55	095	3
08	035	25	7	BKN	30.28	51	46	7	1750	CC	55	030	4
09	030	23	7	BKN	30.28	52	46	8	2100	CC	57	030	4
10	035	25	7	BKN	30.28	53	46	6	2450	CS	57	035	4
11	040	24	7	BKN	30.27	53	46	7	2450	CC	57	040	4
12	065	23	7	BKN	30.26	52	45	8	2450	CC	57	050	4
13	060	20	7	BKN	30.25	53	47	6	2450	CC	58	040	4
14	040	18	7	BKN	30.24	52	46	5	2450	CC	58	040	4
15	045	17	7	BKN	30.22	53	47	5	2450	CU	57	050	4
16	045	22	7	BKN	30.21	52	46	5	2450	CU	58	055	4
17	040	23	6	BKN	30.18	51	46	5	1750	CU	57	040	4
18	050	24	6	BKN	30.15	50	45	5	1750	CU	57	050	4
19	050	28	6	OVC	30.14	51	45	10	2100	CU	57	050	4
20	045	23	6	BKN	30.13	50	45	9	1750	CU	59	045	4
21	040	25	6	BKN	30.12	50	45	9	1750	CU	59	045	4
22	035	28	6	BKN	30.10	50	45	9	1750	CU	59	050	5
23	035	33	6	BKN	30.08	50	45	7	1750	CU	59	050	5
24	040	31	6	BKN	30.07	50	45	7	1750	CU	59	055	5

POSITION	ZONE	TIME
0800 L	48-33 N	BY 1/2
λ	135-08 W	BY 1/2
1200 L	41-58.2 N	BY 1
λ	135-56.5 W	BY 1
2000 L	40-41.5 N	BY 2
λ	137-44.5	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 329.4

FUEL CONSUMED 0000-2400: 3,205

REMARKS

00-04 Enroute independently from Seattle, Washington to Pearl Harbor, Hawaii in accordance with CINCPACFLT 1962 fourth quarter Op Ord on course 228° T, speed 13.8 knots (115 RPMS) balanced load, with numbers 2, 3 and 4 main generators on the main propulsion loop and number 1 auxiliary generator on excitation and ships power. Material condition Y/ZEBRA is set.

J. J. Gupp, CWO, USN

00-04: UNDERWAY AS BEFORE. 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL, AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY.

[signature], ENS, USNR

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Mash LT JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SUNDAY (Day) 6 (Date) MAY (Month), 19 62

08-12 Underway as before. 0800 Mustered the crew on stations. Absentees; none. 0810 Made daily inspection of magazines and smokeless powder samples; conditions normal. 0830 C/C to 229° PGC, 228° T, 204° PSTGC.

J. J. Lipps, CWO, USN

12-16. Underway as before.

J. E. Hoffey CWO U.S.N.

16-18: UNDERWAY AS BEFORE. 1556 TESTED RUNNING LIGHTS; TEST SATISFACTORY.

W. L. Swan, ENS, USNR

18-20 Underway as before. 1842 Sighted visual contact bearing 250°. distance approximately 10.5 miles 1850 Contact merchant freighter. 1928 Lost contact bearing 315° T distance approximately 37,000 yds

J. E. Hoffey CWO U.S.N.

20-24 Underway as before. 2100 C/C to 232° PGC, 231° T, 206° PSTGC.

J. J. Lipps, CWO, USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 DATE MONDAY (Day) 7 (Date) MAY (Month), 19 62

~~AT~~/PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	30	5	BKN	30.08	50	46	7	1400	CU	59	050	3
02	040	27	5	BKN	30.06	49	45	7	1400	CU	59	010	3
03	045	26	4	BKN	30.05	49	46	7	1050	CU	59	015	3
04	040	27	5	BKN	30.06	49	46	8	1050	CU	59	030	3
05	005	25	5	BKN	30.08	50	47	8	1050	CU	59	030	3
06	355	24	7	SCT	30.10	50	49	3	350	ST	59	030	3
07	000	25	7	SCT	30.11	51	49	3	700	ST	59	030	3
08	005	28	7	SCT	30.11	53	49	4	1050	SC	59	015	4
09	010	24	7	SCT	30.13	53	49	4	1400	CU	59	010	4
10	010	26	7	SCT	30.14	53	49	4	1400	CU	59	010	5
11	010	27	6	b	30.14	53	49	9	1050	SC	59	010	4
12	010	27	6	b	30.15	53	49	9	1400	SC	59	010	4
13	355	25	6	BKN	30.15	54	49	9	1750	CU	59	030	3
14	005	21	7	BKN	30.15	53	50	9	1050	CU	59	010	3
15	005	20	7	BKN	30.15	53	50	9	1050	CU	59	010	3
16	000	23	7	SCT	30.15	53	51	4	700	CU	59	010	3
17	000	14	7	SCT	30.18	53	51	4	700	CU	59	010	3
18	000	18	7	SCT	30.18	53	51	4	700	CU	59	010	3
19	000	17	7	SCT	30.19	53	51	8	700	CU	59	010	3
20	005	21	7	BKN	30.22	53	50	8	1050	CU	59	010	3
21	000	20	7	BKN	30.23	52	49	8	1050	CU	59	010	3
22	005	18	7	SCT	30.24	52	49	5	1050	CU	59	010	3
23	005	14	7	SCT	30.26	52	49	4	1050	CU	59	015	3
24	005	14	6	SCT	30.26	53	50	4	1050	CU	59	010	3

POSITION	ZONE	TIME
0800 L	38-46.5N	BY 12
λ	140-19.2W	BY 12
1200 L	38-15.5N	BY 1
λ	141-16.5W	BY 1
2000 L	36-57N	BY 1
λ	142-35W	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 320.1

FUEL CONSUMED 0000-2400: 3,212

REMARKS

00-04 Enroute independently from Seattle Washington to Pearl Harbor, Hawaii in accordance with CINCPACFLT 1962 Fourth Quarter op sked on Course 231°T Speed 115 RPM (13.8 kts) with 1, 3, and 4 main generator in the propulsion loop and number one auxiliary on ships power and illumination. Material Condition Yoke Set. 0220 took number 4 main generator out of the loop. Steering Casualty, out of Commission 0230 Put number 2 generator in the propulsion loop

J. A. Hoffey CWO USN.

04-08: UNDERWAY AS BEFORE. 0410 COMMENCED BLOWING BOILER TUBES. 0415 COMPLETED BLOWING BOILER TUBES. 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL, AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY.

H. L. Swan, ENS, USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 7 (Date) MAY (Month), 19 62

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 0815 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0840 C/C TO 233° PGC 211° PSTGC.

J. J. Griffin, CWO, USN

12-16 UNDERWAY AS BEFORE. 1402 C/C TO 221° PGC. 1430 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: DAVIS, H., 483-57-38, SMSN USN, OFFENSE: VIOLATION UCMJ ART 86, UA FOR A PERIOD OF 46 HOURS 48 MINUTES. PUNISHMENT: RESTRICTION PENDING FURTHER INVESTIGATION. ROBINSON, H.J., 527-24-62 EN3, USN, OFFENSE VIOLATION UCMJ ART 86, UA FOR A PERIOD OF 30 MINUTES. PUNISHMENT: DISQUALIFICATION FOR ADVANCEMENT TO EN2. GREEN, J.M. 535-38-04, RM3 USN, VIOLATION OF UCMJ ART 92, DERELICTION IN PERFORMANCE OF DUTIES; PUNISHMENT: DISQUALIFICATION FOR ADVANCEMENT TO RM2. CARLILE, J.C., 350-05-83, SFM3, USN OFFENSE: VIOLATION UCMJ ART 86 U.A. FOR A PERIOD OF 35 MINUTES. PUNISHMENT: DISMISSED WITH A WARNING. COUTURE, E., 901-76-72 RM1, USN OFFENSE: VIOLATION UCMJ ART 86, U.A. FOR A PERIOD OF 6 HOURS, 18 MINUTES. PUNISHMENT: LOSS OF PROFICIENCY PAY (P-1).

E.B. Masch LTJG USNR

16-18 UNDERWAY AS BEFORE.

J. J. Griffin CWO USN.

18-20 UNDERWAY AS BEFORE. 1830 C/C TO 228° PGC, 207° PSTGC.

J. J. Griffin, CWO, USN.

20-24 UNDERWAY AS BEFORE. 2200 C/C 229° PGC, 230°T, 208° PSTGC

J. J. Griffin CWO USN

APPROVED: J. C. [illegible] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +9 DATE TUESDAY (Day) 8 (Date) MAY (Month), 19 62

~~AT~~/PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	009	15	5	SCT	30.25	53	50	5	1050	CU	60	355	3
02	005	14	5	SCT	30.24	54	50	5	1400	CU	60	355	3
03	004	12	5	SCT	30.24	54	51	5	1050	CU	60	000	2
04	000	10	7	SCT	30.25	53	51	3	700	CU	60	080	1
05	000	7	7	SCT	30.28	53	50	3	700	CU	60	080	1
06	025	13	7	SCT	30.29	53	51	3	700	CU	60	080	1
07	025	12	7	SCT	30.30	54	52	3	700	CU	60	080	1
08	020	9	7	SCT	30.31	63	52	3	3150	CC	60	095	2
09	020	11	7	SCT	30.31	64	53	4	3150	CC	60	080	2
10	025	12	7	SCT	30.32	67	54	4	4550	CS	60	080	2
11	030	12	7	SCT	30.32	65	55	5	3600	AC	65	095	2
12	033	11	7	SCT	30.30	65	55	5	3600	AC	65	095	2
13	035	11	7	SCT	30.28	63	53	5	3600	AC	65	030	2
14	036	10	7	SCT	30.28	63	53	5	3600	AC	66	030	2
15	024	9	7	SCT	30.29	64	54	5	3600	AC	66	080	2
16	020	9	7	SCT	30.35	67	57	5	3600	AC	66	080	2
17	020	10	7	SCT	30.35	67	57	4	3600	AC	67	080	2
18	020	12	7	SCT	30.35	66	56	4	3600	AC	67	080	2
19	040	12	7	SCT	30.35	60	50	4	3600	AC	68	080	2
20	060	11	7	BKN	30.36	59	52	6	2450	AC	70	055	2
21	065	11	7	BKN	30.37	59	52	6	2450	AC	70	060	2
22	065	11	7	BKN	30.37	59	52	7	2450	AC	70	060	2
23	065	11	7	BKN	30.37	59	52	7	2450	AC	70	060	2
24	067	11	7	BKN	30.36	59	52	7	2450	AC	70	060	2

POSITION	ZONE	TIME
0800		
L 35-05 N	BY	2
λ 144-50 W	BY	2
1200		
L 34-21 N	BY	1
λ 145-57 W	BY	1
2000		
L 32-56.2 N	BY	1
λ 147-08.5 W	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 338.5

FUEL CONSUMED 0000-2400: 3,541

REMARKS

00-04 UNDERWAY INDEPENDENTLY FROM SEATTLE WASHINGTON TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH CINCPACFLT 1962 FOURTH QUARTER OPSKED ON COURSE 229°T, SPEED 13.8 KNOTS (115 RPM) BALANCED LOAD WITH NUMBERS 1, 2 AND 3 MAIN GENERATORS IN THE MAIN PROPULSION LOOP AND NUMBER 1 AUXILIARY GENERATOR ON EXCITATION AND SHIPS POWER, MATERIAL CONDITION YOKE IS SET.

J. J. Shipp, CWO, USN.

04-08: UNDERWAY AS BEFORE. 0407 COMMENCED BLOWING BOILER TUBES. ~~0415~~ WKS 0413 SECURED FROM BLOWING BOILER TUBES. 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL, AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY.

H. H. Swan, ENS, USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 8 (Date) MAY (Month) 19 62

08-12 Underway as before. 0800 Mustered crew on stations; absentee, none. 0845 C/C to 225° PGC, 226° T, 205° PSTGC. 0850 Made daily inspection of magazines and smokeless powder samples; 7 condition, Normal.

J. J. Stipp, CWO, USN.

12-16. Underway as before. 1402 C/C 221°(T) 220° PGC 199° PSTGC.

J. E. Hoffey CWO U.S.N.

16-18: UNDERWAY AS BEFORE. 1619 C/S TO 122 RPM (14.5 KNOTS)

W. L. Swan, ENS, USNR

18-20 Underway as before. 1915 Energized Radar and set watch

J. E. Hoffey CWO U.S.N.

20-24 Underway as before. 2133 C/C to 222° PGC, 223° T, 201° PSTGC. 2231 C/C to 290° PGC, 291° T. 2238 C/C to 222° PGC, 223° T, 201° PSTGC.

J. J. Stipp, CWO, USN

APPROVED: C. C. [illegible] CDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (IATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 9 (Date) MAY (Month), 1962

~~AT~~/PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	10	6	BKN	30.39	58	53	7	1750	AC	70	060	2
02	068	10	5	BKN	30.30	58	53	7	1750	AC	71	060	2
03	068	10	5	L	30.29	57	52	6	1750	ST	71	062	2
04	070	8	5	BKN	30.31	57	52	7	1750	ST	73	068	2
05	080	8	7	BKN	30.33	58	57	9	350	ST	73	070	2
06	080	10	7	BKN	30.35	59	57	9	700	ST	73	070	2
07	080	9	7	BKN	30.33	60	58	9	700	ST	73	070	2
08	080	11	7	BKN	30.34	60	54	9	2100	CU	73	075	2
09	090	13	7	BKN	30.35	63	55	8	2800	AC	73	080	2
10	090	13	7	BKN	30.35	65	58	7	2450	AC	73	080	2
11	080	13	7	BKN	30.37	67	60	7	2450	AC	73	075	2
12	075	13	7	BKN	30.38	68	61	7	2450	AC	73	070	2
13	070	13	7	BKN	30.38	70	61	7	3150	AC	73	070	2
14	068	11	7	BKN	30.39	69	64	7	1750	AC	74	065	2
15	072	11	7	BKN	30.38	69	67	7	700	CI/AC	74	070	2
16	080	11	7	BKN	30.38	69	67	6	700	AC	74	070	2
17	080	12	7	BKN	30.37	68	66	6	700	AC	74	070	2
18	080	12	7	BKN	30.37	67	65	6	700	AC	74	130	2
19	090	11	7	BKN	30.37	68	57	6	3950	AC	75	130	2
20	090	10	7	SCT	30.37	67	55	3	4900	CC	75	130	2
21	085	15	7	SCT	30.37	67	65	4	1750	CU	75	115	3
22	090	19	7	SCT	30.38	67	60	4	2450	AC	75	115	3
23	090	17	7	SCT	30.39	67	60	4	2450	AC	75	130	3
24	105	13	7	SCT	30.38	68	60	4	2800	AC	75	160	3
15	080	14	7	BKN	30.37	70	61	6	3250	AC	74	070	2

POSITION	ZONE	TIME
0800 L	30-40 N	BY 1/2
λ	149-20 W	BY 1/2
1200 L	29-57 N	BY 1
λ	150-01 W	BY 1
2000 L	28-18 N	BY 1
λ	151-32 W	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 361.3

FUEL CONSUMED 0000-2400: 3,782

REMARKS

00-04. Enroute independently from Seattle Washington to Pearl Harbor, Hawaii in accordance with CINCPACFLT 1962 fourth Quarter op shed Course 222° T Speed 14.5 kts (122 RPM). with number 1, 2, 3, and 4 main generators in the propulsion loop. Number one auxiliary generator on ship power and excitation. Material Condition Yoke set.

J. E. Hoffey CWO U.S.N.

~~00~~ 04-08: UNDERWAY AS BEFORE. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL, CHEMICAL AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY.

C. McSwain, ENS, USNR

APPROVED: _____ LCDR U.S.N. COMMANDING

EXAMINED: E. B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 9 (Date) MAY (Month), 19 62

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS, ABSENTEES NONE. 0820 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0902 C/C TO 221° T.

E.B. Masch LTJG USNR

12-16 Underway as before.

J.J. Stipp, CWO, USN.

16-18. Underway as before.

J.E. Hoffey CWO U.S.N.

18-20 Underway as before.

J.J. Stipp, CWO, USN

20-24. Underway as before.

J.E. Hoffey CWO U.S.N.

APPROVED:

[signature] LCDR U. S. N. COMMANDING

EXAMINED:

E.B. Masch LT JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS AGNAKI (AT-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 10 (Date) MAY (Month), 1962

AT/PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	13	6	SCT	30.25	69	61	4	8000	AC	74	095	3
02	105	14	5	SCT	30.25	68	60	4	8500	AC	75	100	4
03	098	14	5	SCT	30.24	68	60	4	8500	AC	75	095	4
04	100	14	5	SCT	30.21	68	60	4	8500	AC	75	090	4
05	100	13	5	BKN	30.21	70	62	9	8500	AC	75	090	4
06	100	12	5	BKN	30.20	70	63	9	8450	ST	75	090	4
07	090	12	5	BKN	30.20	70	63	5	8450	ST	75	090	4
08	100	15	7	BKN	30.20	73	65	7	8500	AC	76	095	3
09	090	17	7	BKN	30.21	74	66	8	8500	AC	76	095	3
10	095	20	7	BKN	30.21	75	67	8	8500	AC	77	105	3
11	095	20	7	BKN	30.19	74	67	8	8450	AC	77	115	3
12	094	18	7	BKN	30.19	74	66	8	8500	AC	77	110	3
13	098	17	6	OVC	30.16	75	68	8	8450	AC	77	100	4
14	095	17	6	OVC	30.15	75	68	8	8450	AC	77	100	4
15	095	16	6	OVC	30.14	75	67	8	8500	AC	77	100	4
16	100	15	6	OVC	30.13	75	67	10	8500	AC	77	100	4
17	105	15	6	OVC	30.13	75	67	10	8500	AC	77	100	4
18	105	14	6	BKN	30.13	74	66	9	8500	AC	77	100	4
19	100	22	7	SCT	30.13	74	67	4	8450	CI	77	100	3
20	105	20	7	BKN	30.13	74	67	6	8450	CC	78	100	3
21	105	24	7	BKN	30.13	74	67	6	8450	CC	79	100	4
22	105	25	7	BKN	30.13	74	67	6	8450	CI	79	100	4
23	100	19	7	BKN	30.13	74	67	6	8450	CI	79	110	4
24	095	17	7	BKN	30.13	73	67	6	8400	CI	79	115	4

POSITION	ZONE	TIME
0800 L 26-00 N		BY 15 Z
λ 153-30 W		BY 13 Z
1200 L 29-19.5 N		BY 1
λ 154-07 W		BY 1
2000 L 23-55 N		BY 2
λ 155-18 W		BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 320.2

FUEL CONSUMED 0000-2400: 2,547

REMARKS

00-04 Underway independently from Seattle, Washington to Pearl Harbor, Hawaii in accordance with CINCPACFLT 1962 Fourth Quarter Op Ord on course 220°T, speed 14.5 knots (122 RPM's) balanced load with numbers 1, 2, 3, and 4 main generators in the main propulsion loop and number 1 auxiliary generator on excitation and ships power. Material condition Yoke is set.

J. J. Gupp, CWO, USN.

04-08: UNDERWAY AS BEFORE. 0653 C/S TO 110 RPM (13.3 KNOTS) 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL, AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY. ~~0755~~

A. L. Swan, CWO, USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 10 (Date) MAY (Month) 1962

08-12 Underway as before. 0800 Mustered the crew on station; absentees: none. 0830 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. J. Gupps, CWO, USN

12-16. Underway as before. 1300 C/C 219°T 218 PGC 200° PSTGC.

J. Hoffy CWO U.S.N.

16-18: UNDERWAY AS BEFORE.

H. K. Swan, ENS, USNR

18-20 Underway as before.

J. J. Gupps, CWO, USN.

20-24. Underway as before. 2000 C/S 100 RPM (12.3 kts) 2330 Commenced blowing boiler tubes 2335 secured blowing boiler tubes

J. Hoffy CWO U.S.N.

APPROVED: CCOR U. S. N. COMMANDING

EXAMINED: E. B. Mash LT JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 11 (Date) MAY (Month), 19 62

AT/PASSAGE FROM SEATTLE, WASHINGTON TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	125	17	5	BKN	30.11	72	67	6	1750	CI	80	115	4
02	130	17	5	BKN	30.09	73	65	6	8500	CI	80	115	4
03	126	14	5	BKN	30.09	73	64	6	8500	CI	80	130	4
04	125	20	5	BKN	30.06	74	70	8	1400	CU	80	130	4
05	130	15	5	BKN	30.06	74	70	8	1400	CU	81	130	4
06	115	18	5	OVC	30.06	75	70	10	1750	CU	81	130	4
07	110	18	6	OVC	30.07	76	71	10	1750	CU	81	130	4
08	105	18	6	OVC	30.07	76	71	9	2100	AC	80	125	4
09	115	20	6	OVC	30.05	76	71	10	2100	AC	80	130	4
10	160	27	6	OVC	30.05	76	71	10	1750	AC	80	135	4
11	155	25	7	OVC	30.06	76	72	9	1400	CU	80	135	4
12	150	24	7	OVC	30.06	77	72	9	1750	CU	80	145	4
13	140	26	7	OVC	30.04	77	72	9	1750	CU	80	140	4
14	140	22	7	OVC	30.02	77	72	9	1750	CU			
15	130	20	7	BKN	30.01	77	72	8	1750	CU			
16	115	21	7	BKN	29.99	77	72	8	1750	CU			
17	105	17	6	BKN	29.98	77	72	8	1750	CU			
18	090	18	6	BKN	29.96	77	72	8	1750	CU			
19	060	15	6	BKN	29.91	77	72	8	1750	CU			
20	045	9	5	OVC	29.87	77	72	9	1750	SC			
21	040	13	5	H	29.85	77	72	9	1750	ST			
22	030	13	5	BKN	29.84	77	72	7	1750	ST			
23	095	10	5	H	29.84	77	72	9	1750	NS			
24	083	8	5	H	29.83	76	71	9	1750	NS			

POSITION	ZONE	TIME
0800		
L 22-00N	BY	R
λ 156-47W	BY	R
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 180.3

FUEL CONSUMED 0000-2400: 778

REMARKS

00-04 Underway independently from Seattle, Washington to Pearl Harbor, Hawaii in accordance with CINCPACFLT 1962 fourth quarter OPSKED on course 218°T, speed 12.5 knots (100 RPMS) with numbers 2, 3 and 4 main generators in the main propulsion loop and number 1 auxiliary generator on excitation and ships power. Material condition Yoke is set.

J. F. Gupp, CWO, USN

04-08: UNDERWAY AS BEFORE. 0655 C/S TO 87 RPM (11.0 KNOTS) 0740 C/C TO 227°. 0745 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY.

W. L. Quoon, CDS, USNR

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 11 (Date) MAY (Month) 1962

08-12. Underway as before. Mustered the crew on station; Absentees: none. 0807 C/S 87 RPM (11 kts) 0835 C/C 271°T 270 PGC, 250 PSTGC. 1000 C/C 214T, 213° PGC, 196 PSTGC. C/C 100 RPM, (12.3 kts). 1055. Sighted land bearing 233°T dist approximately 35 miles. 1106 Sighted Molokai Bearing 286°T distance approximately 38 miles. 1109 C/C 212T°. 211° PGC 194° PSTGC. 1113 Made daily inspection of magazine and smokeless power samples; Condition normal. Made weekly test of magazine sprinkling and flooding system; Conditions Satisfactory.

J.E. Hoffey CWO USN.

12-16. Underway as before. 1222 C/C 220° PGC, 211°T, 200 PSTGC. 1223 C/S 190 RPM (13.3 kts) 1230 C/C 225T° 225 PGC 208° PSTGC. 1256 Sighted Makapuu Lt. Bearing 233° distance approximately 9.5 miles. 1259 C/C 221°T 220 PGC, 202° PSTGC. 1311 C/C 216°T PGC 215° 198 PSTGC. 1325 C/C 213°T, 212° PGC. 194° PSTGC. 1328. Visual contact. 080°T approximately 9000 yds. small fishing boat. 1348 Sighted diamond head light Bearing 276°T. 1348 C/C 251°T. PGC 250° 223° PSTGC. 1359 C/C 263°T PGC 262° 243° PSTGC. 1406 C/C 271°T PGC 270°. 1408 C/S 9.5 kts (75 RPM). 1433 C/S 6.7 kts (50 RPM). 1452 C/C 291°T 290 PGC. 272° PSTGC. 1508 C/C 5 knots 38 RPM. 1520 C/C 001°T 1531 C/C 091°T PGC 090° PSTGC 082°. 1537 C/C 181°T PGC 180° PSTGC 168°. 1557 C/C 220°T.

J.E. Hoffey CWO USN.

16-20. Underway as before. 1615 C/C 305°. 1654 C/C 300°T. 1700 Stationed Special Sea detail. Captain Canning Navigator on the bridge. 1711. Entered inland water. 1720 Commenced steering various courses at various speeds conforming to Pearl Harbor Channel. 1721 Passed buoy #4 abeam to Stbd. Dist Approx 50 yds. 1725 Passed Buoy #6 abeam Stbd dist Approx 50 yds 1728 Passed Buoy alfa 6 abeam to Stbd dist Approx 250 yds 1734 Passed Station Whiskey abeam to Port dist Approx 175 yds 1736 Passed Buoy 16 abeam to Stbd dist Approx 75 yds 1740 Passed landing "C" abeam to Stbd dist approx 150 yds. 1742 Passed Berth F-1 abeam to Port dist Approx 100 yds. 1748 Passed Berth B-10 abeam to Stbd dist approx 50 yds. 1755 Passed Aviation Base Tank abeam to Stbd dist Approx 200 yds. 1758 Moored Port side to Berth S-17 at U.S. Naval Submarine Base Pearl Harbor, Hawaii with Standard Mooring lines 1807 Secured the Special Sea and Anchor detail. Set in Port watch. 1812 In accordance with Bu Pers Order 118572, 30 JAN 1962 LTJG RICHARD L. WALKER USN. 637649/1100, reported on board for duty as Executive Officer.

J.E. Hoffey CWO USN

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: EXAMINED:

C. CDR U.S.N. COMMANDING E.B. Marsh LTJG U.S.N. NAVIGATOR

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 12 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	6	5	L	29.85	75	70	6	1750	AC			
02	085	6	5	OK	29.87	74	69	6	1750	AC			
03	080	7	4	L	29.90	73	69	6	1400	AC			
04	080	3	4	OK	29.93	74	70	9	1400	AC			
05	090	3	4	OK	29.97	75	70	9	1750	AC			
06	080	2	4	OK	30.00	76	70	9	2100	AC			
07	085	2	5	OK	30.03	75	69	8	2100	SC			
08	010	2	4	BKN	30.07	78	69	7	3350	CU			
09	012	2	4	BKN	30.10	79	69	7	3350	CU			
10	015	2	5	BKN	30.10	79	69	7	3600	CU			
11	019	2	5	BKN	30.11	81	72	7	3350	CU			
12	019	2	7	BKN	30.09	84	72	5	4900	AC			
13	080	3	7	BKN	30.08	84	72	5	4900	AC			
14	018	3	7	BKN	30.06	84	72	5	4900	AC			
15	080	5	7	BKN	30.06	87	73	5	5000	CC			
16	045	6	8	BKN	30.05	92	78	5	5000	CC			
17	045	7	8	BKN	30.07	90	75	5	5360	CC			
18	050	5	8	BKN	30.08	85	75	5	3600	AC			
19	050	4	7	SCT	30.09	84	74	5	3600	AC			
20	055	4	7	SCT	30.09	83	74	4	3350	AC			
21	065	5	6	SCT	30.08	81	73	4	3900	CU			
22	065	5	6	SCT	30.09	79	71	4	3750	CU			
23	070	4	6	SCT	30.10	75	70	4	1750	SC			
24	075	4	6	SCT	30.09	74	69	4	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 157

REMARKS

00-04. Moored Port side to Pier Sierra Seventeen (S-17) at U.S. Naval Submarine Base Pearl Harbor Hawaii. With four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present include ship and various units of the U.S. Pacific Fleet. Yard and District small craft. Material Condition Zone set. SOPA is Commander in Chief Pacific Fleet. 0149 YTM 195 Stood out from Sierra Pier.

J. A. Hoffey CWO U.S.N.

04-08. Moored as before.

J. A. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: E. B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 12 (Date) MAY (Month), 19 62

08-12 MOORED AS BEFORE. 0800 MUSTERED THE DUTY SECTION ON STATION, ABSENTEES NONE. 1105 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 1110 COMMANDING OFFICER PAID AN OFFICIAL VISIT TO COMMANDER SERVICE FORCE, U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 13 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	4	6	SCT	30.09	74	69	4	1750	SC			
02	065	4	6	SCT	30.09	74	69	4	1750	SC			
03	065	4	6	SCT	30.08	74	69	5	1750	SC			
04	070	3	5	RW	30.08	73	69	9	1400	SC			
05	075	2	5	RW	30.08	73	69	9	1400	SC			
06	070	4	6	SCT	30.08	73	69	5	1400	SC			
07	065	3	7	BKN	30.09	73	69	6	1400	SC			
08	065	3	7	BKN	30.09	74	69	6	1750	CU			
09	060	4	7	BKN	30.10	75	70	6	1750	CU			
10	050	3	7	BKN	30.10	77	70	7	2450	CU			
11	055	3	7	BKN	30.11	79	71	7	2500	AC			
12	055	5	7	BKN	30.12	81	73	7	2800	AC			
13	060	3	7	BKN	30.13	85	75	7	3600	CC			
14	065	3	7	BKN	30.13	86	76	7	3600	CC			
15	075	5	7	BKN	30.12	87	77	7	3600	CC			
16	075	5	7	BKN	30.11	88	79	7	3350	CC			
17	075	4	7	BKN	30.10	88	81	6	2450	AC			
18	075	3	7	BKN	30.09	88	83	6	1750	AC			
19	075	3	7	BKN	30.09	88	83	6	1750	AC			
20	065	4	7	BKN	30.09	85	78	6	2450	CU			
21	065	4	7	BKN	30.09	80	76	6	1400	CU			
22	075	3	6	BKN	30.10	75	72	6	1050	SC			
23	070	3	6	BKN	30.10	75	72	6	1050	SC			
24	070	3	6	BKN	30.10	74	71	6	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 317

REMARKS

00-04 MOORED PORT SIDE TO BERTH SIERRA SEVENTEEN (S-17) U.S. NAVAL SUBMARINE BASE PEARL HARBOR HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] CDR U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SONDAY (Day) 13 (Date) MAY (Month) 1962

08-12 Moored as before. 0800 Mustered the duty section on stations; absentees; none. 1110 Made daily inspection of magazines and smokeless powder samples; conditions; normal.

J. J. Tripp, CWO, USN

12-16 Moored as before.

J. J. Tripp, CWO, USN.

16-20 Moored as before. 1800 Set material condition Jake.

J. J. Tripp, CWO, USN.

20-24 Moored as before.

J. J. Tripp, CWO, USN.

APPROVED:

[signature] LCDR U. S. N. COMMANDING

EXAMINED:

E. B. Masek LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 14 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	4	6	SCT	30.08	78	75	4	1050	SC			
02	065	5	6	SCT	30.06	78	75	4	1050	SC			
03	065	5	6	SCT	30.04	77	74	4	1050	SC			
04	065	5	6	SCT	30.03	79	75	4	1400	SC			
05	060	6	6	SCT	30.00	83	76	4	2100	CU			
06	055	5	7	SCT	30.05	84	77	4	2450	CU			
07	050	4	7	SCT	30.08	86	78	4	2800	CU			
08	040	4	7	SCT	30.09	87	79	4	2800	CU			
09	045	4	7	SCT	30.09	87	79	4	2800	CU			
10	045	5	7	SCT	30.09	87	79	4	2800	CU			
11	050	5	7	SCT	30.09	88	80	4	2800	CU			
12	090	5	7	SCT	30.07	88	81	4	2450	CU			
13	085	10	7	BKN	30.06	90	85	6	1750	SC			
14	060	9	7	BKN	30.05	90	85	6	1750	SC			
15	055	8	7	L	30.04	90	85	9	1750	SC			
16	045	8	7	L	30.04	93	87	9	2100	SC			
17	035	8	7	L	30.04	85	75	9	3600	CU			
18	035	8	6	L	30.04	83	73	9	3600	CU			
19	035	5	6	OVC	30.04	83	73	9	3600	CU			
20	030	6	6	OVC	30.06	79	73	9	2450	CU			
21	030	5	6	OVC	30.07	77	73	9	1750	CU			
22	035	5	6	SCT	30.08	75	73	5	1050	CU			
23	040	4	6	SCT	30.09	74	73	4	700	SC			
24	045	2	6	SCT	30.08	74	73	3	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 268

REMARKS

00-04 Moored portside to berth Sierra seventeen (S-17), U.S. Naval Submarine Base Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the Yard. Ships present include various ships and units of the U.S. Pacific Fleet, plus yard and district craft. SOPA is COMASWDEFORPAC.

J. G. Stipp, CWO, USN

04-08 Moored as before. 0749 USS Moctobi (ATF 105) moored alongside to starboard. 0750 Muster of the crew at quarters for muster and inspection; absentees; none.

J. G. Stipp, CWO, USN

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: E. B. Marsh LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 14 (Date) MAY (Month), 1962

0800-1200: MOORED AS BEFORE. 0820 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0823 COMMENCED TAKING ON FUEL; DRAFT FORWARD 13'5", AFT 15'9". 0900 CAPTAIN DEPARTED SHIP ON THREE (3) DAYS LEAVE. LTJG E.B. MASCH ASSUMED DUTIES AS ACTING COMMANDING OFFICER.

W.K. Swan, ENS, USNR

1200-1600: MOORED AS BEFORE. 1319 COMPLETED TAKING ON FUEL. TOOK ON 26,754 GALLONS OF DIESEL FUEL. DRAFT FORWARD 13'6" AFT 15'9".

W.K. Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W.K. Swan, ENS, USNR

2000-2400: MOORED AS BEFORE.

W.K. Swan, ENS, USNR.

APPROVED: W. [illegible] CDR U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 15 (Date) MAY (Month), 1962

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	6	SCT	30.07	73	72	5	350	ST			
02	040	1	6	BKN	30.06	73	72	8	350	ST			
03	050	8	6	SCT	30.04	73	72	4	350	SC			
04	035	5	6	SCT	30.05	73	70	5	1050	SC			
05	030	5	6	L	30.04	73	70	8	1050	SC			
06	035	4	7	BKN	30.04	73	70	8	1050	SC			
07	035	7	7	L	30.05	73	70	8	1050	SC			
08	060	5	7	BKN	30.07	76	72	8	1750	SC			
09	060	6	7	BKN	30.07	77	73	8	2100	SC			
10	060	7	7	BKN	30.07	80	73	9	2450	AC			
11	080	8	7	BKN	30.07	83	75	9	2800	CU			
12	050	8	7	BKN	30.06	85	82	9	1050	CU			
13	050	7	7	BKN	30.06	85	83	9	700	SC			
14	050	8	7	BKN	30.05	83	81	8	700	SC			
15	045	6	7	BKN	30.04	79	78	6	350	SC			
16	045	8	7	OVC	30.03	77	75	10	700	SC			
17	045	8	6	OVC	30.03	75	74	9	350	SC			
18	050	6	6	BKN	30.04	75	74	9	350	ST			
19	050	7	6	BKN	30.04	74	73	9	350	ST			
20	045	5	6	BKN	30.06	73	70	8	1050	SC			
21	045	6	6	BKN	30.08	73	70	8	1050	SC			
22	050	7	6	BKN	30.09	73	70	8	1050	SC			
23	050	5	6	BKN	30.09	74	70	8	1400	SC			
24	050	1	6	BKN	30.09	74	71	8	1050	SC			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 88

REMARKS

00-04: MOORED PORT SIDE TO BERTH SIERRA-SEVENTEEN (S-17), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII. WITH FOUR(4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWDEF-ORPAC.

H. L. SWAN, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H. L. SWAN, ENS, USNR

APPROVED: _____ LCDR U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 15 (Date) MAY (Month), 1962

08-12. Moored as before. 0825. Made daily inspection of magazine and smoke pwer samples. Conditions Normal.

J.A. Hoffey CWO USN.

12-16. Moored as before. 1257 Commenced taking on fuel oil draft forward 13'0" aft 16'9". 1358 Secured taking on fuel oil draft forward 12'9" aft 17'0" received on board 1084 gallons of 9250. 1500 While working under Command JOHNSON, RICHARD. L. 546-61-36 FN USN. Foreign Body, Metallic, Left Mammary, Treatment, Small piece of steel removed surgically from left chest region under local anesthesia (Xylocaine HCL) Tetanus toxoid booster 0.5 cc given. Sterile dressing. Disposition: To duty. Recommendations: None.

J.A. Hoffey CWO U.S.N.

16-20 Moored as before. 1800 Set Material Condition Yoke Second deck and below.

J.A. Hoffey CWO U.S.N.

20-24. Moored as before.

J.A. Hoffey CWO U.S.N.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 16 (Date) MAY (Month), 19 69

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	6	BKN	30.06	74	71	8	1050	SC			
02	050	1	6	BKN	30.04	74	71	8	1050	SC			
03	050	2	6	BKN	30.04	74	71	8	1050	SC			
04	050	2	6	BKN	30.04	74	71	8	1050	SC			
05	050	2	7	BKN	30.04	74	71	8	1050	SC			
06	050	2	7	BKN	30.04	74	71	8	1050	SC			
07	050	2	7	BKN	30.06	76	73	7	1050	CU			
08	052	2	7	BKN	30.06	76	73	7	1050	CU			
09	058	2	7	BKN	30.06	77	74	8	1050	CU			
10	054	2	7	BKN	30.06	78	75	8	1050	CU			
11	054	2	7	BKN	30.08	78	75	8	1050	CU			
12	058	2	7	BKN	30.09	78	75	8	1050	CU			
13	058	3	7	BKN	30.11	79	77	8	700	SC			
14	058	3	7	BKN	30.12	79	78	7	350	SC			
15	060	3	7	BKN	30.10	80	78	7	700	SC			
16	060	5	7	BKN	30.08	80	78	7	700	SC			
17	055	5	7	BKN	30.07	79	76	8	1050	SC			
18	050	4	7	BKN	30.07	77	73	8	1400	CU			
19	050	4	7	BKN	30.06	76	73	8	1400	CU			
20	055	6	7	BKN	30.05	74	72	8	700	CU			
21	055	4	6	BKN	30.04	73	71	8	700	CU			
22	060	3	6	BKN	30.04	73	70	8	1050	SC			
23	055	3	6	BKN	30.05	73	70	8	700	SC			
24	055	3	6	BKN	30.05	73	70	8	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 1

FUEL CONSUMED 0000-2400: 51

REMARKS

00-04 Moored Port side to Pier Sierra Seventeen (S-17) at U.S. Naval Submarine Base Pearl Harbor, Hawaii. With four (4) standard mooring lines doubled up. Relieving miscellaneous service from the pier. Ships present include various ship and units of the U.S. Pacific Fleet, Yard and district Craft. Material Condition Yoke Set. SOPA is Commander in Chief Pacific Fleet. U.S.A.T. Moctobi (ATF-105) moored outboard port side to, with standard mooring lines

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0732 U.S.A.T. Moctobi (ATF-105) underway from alongside. 0750 Mustered Crew at Quarters for muster and inspection; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 16 (Date) MAY (Month), 1962

08-12 MOORED AS BEFORE. 1010 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE. 1230 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 1245 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1258 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL PEARL HARBOR TO SHIFT BERTH TO BRAVO FIFTEEN (B-15), CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. MAKING VARIOUS COURSE AND SPEED CHANGES NECESSARY TO CONFORM WITH THE CHANNEL AND TO MAKE BERTH. 1318 MOORED PORT SIDE TO BERTH BRAVO FIFTEEN (B-17) U.S. NAVAL SHIPYARD PEARL HARBOR HAWAII WITH FOUR STANDARD MOORING LINES DOUBLED UP. 1339 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 17 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	6	BKN	30.06	72	70	8	700	SC			
02	050	2	6	BKN	30.05	72	69	7	1050	CU			
03	055	4	6	BKN	30.05	73	70	7	1050	CU			
04	060	3	6	BKN	30.06	73	70	7	1050	CU			
05	065	4	6	BKN	30.06	74	71	6	1050	CU			
06	065	5	7	SCT	30.06	77	73	5	1400	CU			
07	055	3	7	SCT	30.05	78	73	5	1750	CU			
08	060	3	7	SCT	30.05	83	74	5	3250	AC			
09	060	4	7	SCT	30.06	83	74	3	3950	CU			
10	050	3	7	SCT	30.06	85	74	3	3950	CC			
11	055	3	7	SCT	30.06	86	76	3	3600	CC			
12	050	4	7	SCT	30.06	86	76	3	3600	CC			
13	060	3	7	SCT	30.04	87	77	3	3600	CC			
14	050	7	7	SCT	30.04	85	77	3	3550	CI			
15	045	6	7	SCT	30.04	85	77	3	3550	CI			
16	045	4	7	SCT	30.04	83	72	3	3950	CI			
17	045	6	7	SCT	30.04	80	70	3	3600	CC			
18	050	4	7	SCT	30.03	76	68	3	3900	CC			
19	045	2	7	SCT	30.03	76	64	3	3900	CC			
20	040	3	7	SCT	30.04	75	66	2	3550	CC			
21	040	3	6	K	30.04	75	62	5	1450	CU			
22	045	3	6	K	30.04	74	70	5	1400	CU			
23	040	3	6	SCT	30.04	74	70	4	1400	SC			
24	040	3	6	SCT	30.04	74	70	5	1400	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO BERTH BRAVO FIFTEEN (B-15) U.S. NAVAL SHIPYARD PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP AGNAKI CATF-96 THURSDAY (Day) 17 (Date) MAY (Month), 1962

08-12 Moored as before. 0830 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1000 While working on port chain stopper Mann, C. E. 658-23-48, BM1 USN accidentally hit himself in the right leg with a hammer, causing a punctured wound of the right lateral tibia. Not due to his own misconduct. Treatment administered by medical representative. Disposition: returned to duty.

J. J. Stipp, CWO, USN

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before. 1800 Set material condition Yoke.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 18 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	6	SCT	30.04	74	70	4	1400	CU			
02	035	2	6	SCT	30.03	74	70	4	1400	CU			
03	035	4	7	SCT	30.01	74	69	5	1750	CU			
04	035	4	7	SCT	30.01	73	68	5	1750	CU			
05	040	3	7	SCT	30.01	73	68	5	1750	CU			
06	045	3	7	SCT	30.01	73	69	5	1400	AC			
07	045	2	7	SCT	30.01	79	70	5	3250	CC			
08	045	2	7	SCT	30.01	79	70	5	3250	CC			
09	045	2	7	SCT	30.01	79	70	5	3250	CC			
10	045	1	7	SCT	30.01	82	73	5	3250	CC			
11	045	1	7	SCT	30.01	80	71	5	3250	CC			
12	050	2	7	SCT	30.03	81	73	4	3500	CC			
13	060	1	7	SCT	30.03	78	74	4	2500	CU			
14	050	3	7	SCT	30.01	80	70	4	3600	CC			
15	050	4	7	SCT	30.01	80	70	4	3600	CC			
16	050	6	7	SCT	30.01	80	70	4	3600	CC			
17	060	5	7	SCT	30.01	78	69	5	3250	CC			
18	065	3	7	BKN	30.01	78	69	6	3250	CC			
19	065	5	7	BKN	30.02	76	69	7	3450	CU			
20	065	2	7	BKN	30.03	74	70	8	1400	CU			
21	065	2	7	BKN	30.03	74	70	8	1400	CU			
22	060	1	6	BKN	30.03	74	69	8	1750	AC			
23	055	1	6	BKN	30.03	74	69	8	1750	AC			
24	050	1	6	BKN	30.01	73	67	8	1750	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to berth Baker fifteen (B-15), U.S. Naval Shipyard, Pearl Harbor, Hawaii, with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, plus yard and district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees; none.

J. J. Gupp, CWO, USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 18 (Date) MAY (Month), 1962

0800-1200: MOORED AS BEFORE. 0935 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1025 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY.

W. K. Swan, ENS, USNR

1200-1600: MOORED AS BEFORE. 1300 COMMENCED CAPTAIN'S MATERIAL INSPECTION OF ALL ZONES. 1445 SECURED FROM INSPECTION. 1530 COMMENCED CAPTAIN'S PERSONNEL INSPECTION. 1545 SECURED FROM INSPECTION.

W. K. Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. K. Swan, ENS, USNR

2000-2400: MOORED AS BEFORE.

W. K. Swan, ENS USNR

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 19 19 MAY, 19 62
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	6	SCT	30.09	71	65	5	2400	CU			
02	050	2	6	SCT	30.04	71	65	5	2400	CU			
03	050	2	6	SCT	30.09	75	70	5	1750	CU			
04	050	4	6	SCT	30.09	74	69	5	1750	SC			
05	050	5	7	BKN	30.09	74	69	6	1750	SC			
06	050	5	7	BKN	30.09	74	69	7	1750	SC			
07	050	5	7	BKN	30.09	76	78	7	1400	SC			
08	050	7	7	BKN	30.09	78	75	7	1050	SC			
09	050	8	7	BKN	30.03	80	79	7	350	ST			
10	050	9	7	BKN	30.03	82	79	7	1050	SC			
11	050	10	7	BKN	30.04	83	80	7	1050	SC			
12	045	10	7	BKN	30.05	84	82	7	700	SC			
13	065	8	7	BKN	30.05	83	78	7	1750	CU			
14	080	9	7	BKN	30.04	83	77	7	2100	CU			
15	065	9	7	BKN	30.03	80	79	8	3600	CU			
16	050	9	7	BKN	30.03	80	70	8	3600	CU			
17	055	8	7	BKN	30.01	80	70	8	3600	CU			
18	055	8	5	OVC	30.01	77	70	9	2450	CU			
19	055	7	5	OVC	30.02	77	70	10	2450	CU			
20	055	2	5	OVC	30.04	77	70	9	2450	CU			
21	060	3	5	OVC	30.04	77	70	9	2450	SC			
22	065	5	5	OVC	30.05	77	70	9	2450	SC			
23	065	2	5	OVC	30.07	77	69	9	2300	SC			
24	065	2	5	OVC	30.07	75	69	9	2100	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED PORT SIDE TO BERTH BRAVO-FIFTEEN (B-15), U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH FOUR(4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H.R. Swan, ENS, USNR

04-08: MOORED AS BEFORE.

H.R. Swan, ENS, USNR

APPROVED: _____ LCDR U.S.N. COMMANDING

EXAMINED: E. B. Marsh LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HOBAKI (AFF-96). SATURDAY (Day) 19 (Date) MAY (Month), 1962

08-12. Moored as before. 0800 Mustered duty section on station; absentees none. 1110 Made daily inspection of magazine and smokeless powder samples. Condition normal.

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO U.S.N.

16-20 Moored as before 1800 Set Material Condition Yoke Secured deck and

J.E. Hoffey CWO U.S.N.

20-24. Moored as before

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 30 (Date) MAY (Month), 19 60

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	4	5	Dz	30.07	75	69	9	2100	CU			
02	060	6	5	Dz	30.06	75	70	9	1750	CU			
03	060	6	6	BKN	30.05	75	70	8	1750	CU			
04	065	4	6	BKN	30.04	75	72	8	1400	CU			
05	065	3	6	BKN	30.03	75	71	8	1400	CU			
06	065	3	6	BKN	30.03	75	72	8	1050	CU			
07	065	3	7	BKN	30.03	80	74	8	2100	CU			
08	065	3	7	BKN	30.03	80	74	8	2100	CU			
09	065	3	7	BKN	30.01	83	74	8	2300	CU			
10	065	3	7	BKN	30.01	83	74	7	2300	CU			
11	060	4	7	BKN	30.05	83	76	7	2100	CU			
12	065	4	7	BKN	30.01	83	76	7	2100	CU			
13	070	4	7	BKN	30.05	81	76	7	1750	CU			
14	070	5	7	BKN	30.01	81	75	7	2100	CU			
15	075	6	7	BKN	30.01	80	75	7	1750	CU			
16	070	5	7	BKN	30.06	80	75	7	1750	CU			
17	065	6	7	BKN	30.06	79	73	7	2100	CU			
18	060	7	7	BKN	30.06	79	73	7	2100	CU			
19	060	7	7	BKN	30.07	78	73	7	2100	CU			
20	060	7	7	BKN	30.07	76	70	8	2100	CU			
21	060	6	6	BKN	30.08	76	70	8	2100	CU			
22	065	4	6	BKN	30.08	76	71	8	1750	SC			
23	065	4	6	BKN	30.10	76	74	7	700	SC			
24	065	5	6	BKN	30.09	76	74	7	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. Moored portside to bench Brave fifteen (CB-15) U.S. Navy Ship yard Pearl Harbor, Hawaii with four (4) Standard mooring lines doubled up. Receiving miscellaneous service from the pier ship present include various ships and units of the U.S. Pacific Fleet, plus yard and district Craft. S.O.P.A. is Commander In Chief U.S. Pacific Fleet.

J.E. Haffey CWO U.S.N.

04-08 Moored as before.

J.E. Haffey CWO U.S.N.

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: E.B. Marsh LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 20 (Date) MAY (Month), 19 62

08-12 MOORED AS BEFORE. 0800 MUSTERED THE DUTY SECTION ON STATION ABSENTEES NONE. 0815 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1845 CONDUCTED FIRE DRILL ON PORT MOTOR WHALE BOAT, ABSENTEES NONE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 21 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	5	6	SCT	30.08	75	74	5	350	ST			
02	070	6	6	SCT	30.09	75	75	5	0	ST			
03	070	6	6	SCT	30.09	75	74	5	350	ST			
04	070	3	6	SCT	30.09	75	69	5	2100	SC			
05	065	4	6	H	30.08	75	69	9	2100	SC			
06	065	5	6	H	30.09	74	70	9	1400	SC			
07	070	5	6	H	30.09	75	70	9	1750	CU			
08	060	4	6	H	30.05	79	74	9	1750	CU			
09	060	4	7	BKN	30.06	76	74	8	1400	CU			
10	065	5	7	BKN		80	74	7	2100	SC			
11	065	3	7	BKN		80	78	7	2500	AC			
12	065	3	7	BKN		80	78	7	1000	AC			
13	065	4	7	BKN		80	76	7	1400	CU			
14	060	4	7	BKN		76	71	6	1750	CU			
15	065	4	7	BKN		75	71	7	1400	CU			
16	065	4	7	BKN		75	71	8	1400	CU			
17	065	4	7	BKN		78	68	8	3600	CC			
18	065	3	7	BKN		78	68	8	3600	CC			
19	065	3	7	BKN		76	68	8	3600	CC			
20	060	3	6	BKN		79	67	8	4300	CC			
21	060	3	6	BKN		78	67	7	3950	CC			
22	060	4	6	BKN		78	67	7	3950	CI			
23	060	4	6	BKN		78	64	7	5000	CI			
24	060	4	6	BKN		75	68	7	3450	CC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO BERTH BRAVO FIFTEEN (B-15) U.S. NAVAL SHIPYARD PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER ASW FORCES U.S. PACIFIC FLEET.

E. B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E. B. Masch LTJG USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) MONDAY (Day) 21 (Date) MAY (Month), 1962

08-12 Moored as before. 0915 Made daily inspection of magazines and smokeless powder samples. Results; normal.

J. F. Gupp, CWO, USN

12-16 Moored as before.

J. F. Gupp, CWO, USN

16-20 Moored as before. 1800 Set material condition Yoke. 1830 Held fire drill on the fantail. 1840 Secured from fire drill.

J. F. Gupp, CWO, USN.

20-24 Moored as before.

J. F. Gupp, CWO, USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E. B. Musch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 22 (Date) MAY (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	5	6	BKN		75	69	7	2100	CU			
02	060	5	6	BKN		74	67	7	2450	CU			
03	060	5	6	BKN		74	67	7	2450	CU			
04	060	4	6	BKN		74	67	7	2450	CU			
05	060	4	6	BKN		74	67	7	2450	CU			
06	060	4	7	BKN		74	67	7	2450	CU			
07	060	4	7	BKN		74	67	7	2450	CU			
08	060	4	7	BKN		76	69	7	2450	CU			
09	050	4	7	BKN		78	71	7	2450	CU			
10	075	6	7	BKN		76	70	7	2100	CU			
11	070	5	7	BKN		78	70	6	2800	CU			
12	060	7	7	BKN		80	70	6	3600	SC			
13	060	7	7	BKN		80	70	7	3600	SC			
14	060	8	7	BKN		81	70	7	3950	SC			
15	060	7	7	BKN		80	69	7	3950	AC			
16	070	5	7	BKN		77	70	7	2450	AC			
17	070	5	7	BKN		77	70	7	2450	AC			
18	070	5	7	BKN		77	70	8	2450	AC			
19	070	5	7	BKN		77	70	8	2450	CU			
20	075	5	6	BKN		75	67	7	2800	CU			
21	070	3	6	BKN		75	70	7	1750	SC			
22	070	2	6	BKN		75	71	7	1400	SC			
23	070	2	6	BKN		75	70	7	1750	SC			
24	070	4	6	BKN		75	68	7	2450	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to berth Bravo fifteen (B-15), U.S. Naval Ship yard, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, plus yard and duty craft. COMCRUDIVS: Commander Cruiser Division, U.S. Pacific Fleet.

J. J. Gipp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees; none.

J. J. Gipp, CWO, USN

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 22 (Date) MAY (Month), 19 62

08-12: MOORED AS BEFORE. 0939 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1030: THE COMMANDING OFFICER LEFT THE SHIP TO CALL OFFICIALLY ON RADM NEEDHAM, CINCPACFLT.

H K Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H K Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1750 HELD FIRE DRILL. 1800 SECURED FROM FIRE DRILL. 1802 SET MATERIAL CONDITION YOKE.

H K Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H K Swan, ENS, USNR

APPROVED:

CDR U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 23 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	5	6	BKN		74	69	8	2100	SC			
02	060	4	6	BKN		74	69	8	2100	SC			
03	060	3	6	BKN		74	69	7	1750	SC			
04	070	3	6	BKN		74	69	7	1750	SC			
05	070	3	6	BKN		74	69	7	1750	CU			
06	080	3	6	BKN		75	70	7	1750	CU			
07	080	3	7	BKN		75	70	7	1750	CU			
08	085	5	7	BKN		77	70	7	2450	CU			
09	095	6	7	BKN		81	69	6	4300	CC			
10	090	5	7	BKN		81	69	6	4300	CC			
11	085	5	7	BKN		83	70	6	4300	CC			
12	080	6	7	BKN		83	72	6	3950	CC			
13	070	10	7	BKN		81	69	6	4300	CC			
14	050	5	7	BKN		81	70	6	3950	CC			
15	070	8	7	BKN		81	70	6	3950	CC			
16	060	10	7	BKN		80	72	6	3500	CU			
17	055	8	7	BKN		79	71	6	3500	CU			
18	050	8	7	BKN		79	71	6	3500	CU			
19	050	9	7	BKN		78	70	6	3500	CU			
20	055	8	7	BKN		77	70	6	3450	SC			
21	060	8	6	OVC		76	69	9	1750	SC			
22	065	7	5	4		74	70	9	1400	NS			
23	090	7	5	OVC		74	70	9	1400	SC			
24	070	7	6	BKN		74	68	8	3100	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED PORT SIDE TO BERTH BRAVO-~~5~~ 4KS FIFTEEN (B-15) U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASCO FORPAC.

[signature], ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

[signature], ENS, USNR

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 23 (Date) MAY (Month), 19 62

08-12. Moored as before. 0908 Made daily inspection of magazine and smoke pipe, found conditions normal.

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO U.S.N.

16-20 Moored as before. 1500 Set material condition "Fox" 1930 Held fire drill. 1940 Secured from fire drill.

J.E. Hoffey CWO U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED:

[signature] CDR U. S. N. COMMANDING

EXAMINED:

E.B. Marsh LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 24 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	8	6	SCT		74	68	3	2100	CU			
02	075	9	6	SCT		73	67	3	2100	CU			
03	070	8	6	SCT		72	66	4	2100	CU			
04	070	6	6	SCT		72	66	5	2100	CU			
05	070	5	6	SCT		74	67	5	2450	CU			
06	075	7	6	BKN		75	69	6	2100	CU			
07	075	7	7	BKN		77	69	6	2300	CU			
08	075	7	7	BKN		77	69	8	2300	CU			
09	075	5	7	BKN		84	72	7	19300	CI			
10	075	5	7	BKN		84	73	7	19550	CC			
11	075	5	7	BKN		83	71	7	19300	CC			
12	075	8	7	BKN		82	70	6	19300	CC			
13	075	5	7	BKN		82	72	6	23500	CC			
14	075	5	7	BKN		81	73	6	2100	AC			
15	075	3	7	BKN		80	77	6	1050	AC			
16	075	3	7	BKN		80	77	6	1050	AC			
17	070	3	7	SCT		80	74	5	2100	CU			
18	075	3	7	SCT		77	71	5	2100	CU			
19	075	3	7	SCT		77	71	4	2100	CU			
20	075	3	6	SCT		76	71	4	1750	SC			
21	075	3	6	SCT		75	71	4	1400	SC			
22	075	3	6	SCT		75	71	3	1400	SC			
23	075	3	6	SCT		75	71	3	1400	SC			
24	075	9	6	SCT		75	70	3	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400:

REMARKS

00-04. Moored Port side to berth Baker Fifteen (B-15) U. S. Naval Shipyard, Pearl Harbor Hawaii, with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U. S. Pacific Fleet, plus yard and district craft. ADP Commander in Chief U. S. Pacific Fleet

J. Hoffey CWO USN.

04-08. Moored as before. 0750 Mustered the Crew at Quarters for muster and inspection, Absentees none.

J. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: E. B. Marsh LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 24 (Date) MAY (Month), 19 62

08-12 MOORED AS BEFORE. 0832 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.
1830 MUSTERED THE RESCUE AND ASSIST PARTY, ABSENTEES NONE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: CCDR U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 25 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	2	6	SCT		75	70	4	1750	CU			
02	075	3	6	SCT		75	70	4	1750	CU			
03	075	3	6	SCT		74	70	5	1400	CU			
04	075	2	6	SCT		75	71	5	1400	CU			
05	075	2	6	SCT		72	69	3	1050	CU			
06	075	1	6	SCT		73	70	5	1050	CU			
07	075	1	7	SCT		73	70	4	1050	CU			
08	075	1	7	SCT		73	70	3	1050	CU			
09	075	2	7	SCT		75	74	3	350	CU			
10	080	2	7	SCT		77	76	3	350	SC			
11	080	3	7	SCT	30.09	80	79	3	350	SC			
12	040	8	7	SCT	30.03	80	77	3	1050	SC			
13	040	7	7	SCT	30.04	80	77	5	1050	SC			
14	040	7	7	SCT	30.04	80	77	5	1050	SC			
15	045	8	7	SCT	30.04	80	77	5	1050	SC			
16	050	8	7	BKN	30.04	80	77	6	1050	SC			
17	050	8	7	BKN	30.05	80	77	6	1050	CU			
18	055	8	7	BKN	30.05	80	77	6	1050	CU			
19	055	6	7	BKN	30.05	77	73	6	1400	CU			
20	050	6	7	BKN	30.04	74	71	8	1050	CU			
21	060	7	6	BKN	30.05	75	71	6	1400	CU			
22	060	8	6	BKN	30.06	75	70	6	1750	CU			
23	060	7	6	BKN	30.07	74	70	6	1400	CU			
24	050	7	6	BKN	30.03	75	70	6	1750	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400:

REMARKS

00-04 MOORED PORT SIDE TO BERTH BRAVO FIFTEEN (B-15) U.S. NAVAL SHIPYARD PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Mash LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E.B. Mash LTJG USNR

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 25 (Date) MAY (Month), 1962

08-12 Moored as before. 0820 Made daily inspection of magazines and smokeless powder samples; conditions normal. Made weekly test of magazine sprinkling system; test satisfactory.

J. J. Stupp, CWO, USN.

12-16 Moored as before. 1430 Commenced Commanding Officer's material inspection. 1530 Secured from Commanding Officer material inspection. 1558 Held fire drill in after steering.

J. J. Stupp, CWO, USN

16-20 Moored as before. 1617 Secured from fire drill. 1800 Set material condition "Yoke".

J. J. Stupp, CWO, USN

20-24 Moored as before. 2145 Condenpac assumed duties as SOPA.

J. J. Stupp, CWO, USN

APPROVED:

[signature] LCDR U. S. N. COMMANDING

EXAMINED:

E. B. Marsh LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 26 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	5	5	BKN	30.03	74	70	6	1400	SC			
02	080	5	5	BKN	30.02	74	70	6	1400	SC			
03	080	5	6	BKN	30.02	74	70	6	1400	SC			
04	080	4	6	BKN	30.03	74	70	6	1400	SC			
05	080	3	6	BKN	30.03	75	71	6	1400	SC			
06	075	6	6	BKN	30.02	75	71	6	1400	SC			
07	075	5	7	SCT	30.04	77	72	5	1750	SC			
08	075	5	7	SCT	30.04	82	78	5	3500	CU			
09	075	5	7	SCT	30.04	79	71	5	3800	CU			
10	070	4	7	BKN	30.04	78	70	6	3500	CU			
11	075	5	7	BKN	30.04	79	74	6	1750	CU			
12	100	10	7	BKN	30.04	78	72	7	2100	CU			
13	100	11	7	BKN	30.03	79	71	7	2800	CU			
14	070	7	7	BKN	30.02	79	71	7	2800	CU			
15	070	7	7	BKN	30.01	80	73	8	2450	CU			
16	075	6	7	BKN	30.01	81	74	8	2450	AC			
17	075	6	7	BKN	30.00	80	73	8	2450	AC			
18	080	5	7	BKN	30.00	79	73	8	2450	AC			
19	085	5	6	BKN	30.00	77	75	6	700	AC			
20	085	5	6	SCT	30.01	76	75	5	350	AC			
21	085	5	6	SCT	30.03	75	74	5	350	CU			
22	085	5	6	SCT	30.04	75	74	4	350	SC			
23	080	5	6	SCT	30.05	75	74	4	350	SC			
24	080	5	6	SCT	30.05	75	74	4	350	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to berth Bravo, Ji Teen (B-15) U.S. Navdl Ship yard Pearl Harbor Hawaii, with four (4) stand and mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet yard and district craft. COPA is Commander, Service Force Pacific Fleet.

J. J. Stupp, CWO, USN

04-08 Moored as before. 0730 Mustered the crew on stations; absentees; none.

J. J. Stupp, CWO, USN.

APPROVED: U. S. N. COMMANDING

EXAMINED: E. B. Masch LT JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 26 (Date) MAY (Month), 19 62

0800-1200: MOORED AS BEFORE. 1040 CEASED PUMPING BILGES. 1045 U.S. NAVAL SHIPYARD TUG NS-15 REMOVED "DONUT" NR 4 FROM ALONGSIDE TO STARBORD. 1135 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. K. Swan, ENS, USNR

1200-1600: MOORED AS BEFORE.

W. K. Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. K. Swan, ENS, USNR.

2000-2400: MOORED AS BEFORE.

W. K. Swan, ENS, USNR

APPROVED:

[signature] U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 27 MAY 1962
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	080	7	6	SCT	30.05	74	74	5	350	SC			
02	080	5	6	SCT	30.04	74	73	5	350	SC			
03	080	3	6	SCT	30.03	74	73	5	350	SC			
04	085	3	6	SCT	30.03	74	73	5	350	SC			
05	085	3	6	SCT	30.03	73	72	5	350	SC			
06	085	3	6	BKN	30.03	73	72	6	350	SC			
07	085	3	6	BKN	30.03	73	72	6	350	SC			
08	085	3	7	BKN	30.03	78	75	7	1050	SC			
09	085	3	7	BKN	30.03	80	78	7	700	SC			
10	085	3	7	BKN	30.03	80	79	7	350	AC			
11	085	3	7	BKN	30.03	80	75	6	1750	AC			
12	070	6	7	BKN	30.03	83	80	6	700	CU			
13	070	4	7	BKN	30.01	83	80	6	700	CU			
14	075	5	7	BKN	30.00	81	80	7	350	CU			
15	075	4	7	BKN	30.00	80	78	7	700	CU			
16	075	5	7	SCT	30.00	79	78	5	1400	CU			
17	075	5	7	SCT	30.00	79	78	4	1400	CU			
18	075	5	7	SCT	30.01	86	76	5	3500	AC			
19	075	5	6	BKN	30.01	86	76	6	3500	AC			
20	075	3	6	SCT	30.03	76	75	5	350	SC			
21	075	3	6	SCT	30.03	76	75	5	350	SC			
22	075	1	6	SCT	30.03	75	74	5	350	SC			
23	075	1	6	SCT	30.03	75	74	4	350	SC			
24	075	3	6	SCT	30.03	75	74	4	350	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: _____

REMARKS

00-04: MOORED ~~A~~ 1ABS PORT SIDE TO BERTH BRAVO-FIFTEEN (B-15), U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII - WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER SERVICE FORCE PACIFIC.

A. L. Swan, ENS, USNR

04-08: MOORED AS BEFORE.

A. L. Swan, ENS, USNR

APPROVED:

CDR U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 27 (Date) MAY (Month), 1962

08-12. Moored as before. 0800 Mustered the duty section on station, absentees none. 1020 Made daily inspection of magazine and smokeless powder samples. Condition normal.

J.E. Hoffley CWO U.S.N.

12-16. Moored as before.

J.E. Hoffley CWO U.S.N.

16-20 Moored as before. 1710 Held fire drill. 1729 Secured from fire drill. 1860 Set material Condition Yoke.

J.E. Hoffley CWO U.S.N.

20-24. Moored as before.

J.E. Hoffley CWO U.S.N.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 28 (Date) May (Month), 1962

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	085	6	3	BKN	30.02	77	76	6	350	SC			
02	085	5	3	BKN	30.02	77	75	6	700	SC			
03	080	2	5	BKN	30.01	76	75	6	350	SC			
04	085	3	6	BKN	30.01	76	74	6	700	SC			
05	090	5	6	BKN	30.01	77	74	6	1050	SC			
06	090	6	6	BKN	30.01	79	76	6	1050	SC			
07	095	7	6	BKN	30.01	82	77	6	1400	CU			
08	100	6	7	SCT	30.01	82	77	5	1750	CU			
09	100	7	7	SCT	30.01	82	77	5	1750	CU			
10	100	7	7	SCT	30.00	82	79	4	1050	CU			
11	095	7	7	SCT	30.01	82	80	4	700	CU			
12	090	6	7	SCT	30.01	82	77	3	1750	CU			
13	070	6	7	SCT	30.00	82	74	5	2450	CU			
14	070	6	7	SCT	29.99	80	73	5	2450	CU			
15	075	6	7	SCT	29.98	80	73	5	2450	CU			
16	075	5	7	SCT	29.97	80	74	5	2150	CU			
17	075	6	7	SCT	29.98	80	74	5	2150	CU			
18	075	6	7	SCT	29.99	79	73	5	2100	CU			
19	075	6	7	SCT	29.98	77	71	4	2100	CU			
20	070	8	7	SCT	29.98	76	70	4	2100	CU			
21	075	7	6	SCT	29.95	76	70	4	2100	CU			
22	075	7	6	SCT	29.95	76	70	4	2100	CU			
23	075	8	6	SCT	29.95	75	69	4	2100	CU			
24	075	9	6	SCT	29.98	75	70	4	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400:

REMARKS

00 - 04 Moored port side to berth Board Fifteen (B-15) U.S. Naval Shipyard, Pearl Harbor Hawaii with four (4) standard mooring line doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, Yard and district H.C.D.A. is Commander A.S.W. for P.S.C.

J.E. Koffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered the crew at Quarters for Muster and inspection, Absentees none.

J.E. Koffey CWO U.S.N.

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: R.L. Walker U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 28 (Date) May (Month), 19 62

08-12 Moored as before 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

R. L. Walker
Lt. (jg) USN

12-16 Moored as before. 1540 Held fire drill. 1553 Secured from fire drill

R. L. Walker
Lt. jg USN

16-20 Moored as before. 1800 Set material condition Yoke throughout the ship.

R. L. Walker
Lt. (jg) USN

20-24 Moored as before.

R. L. Walker
Lt. (jg) USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H0 DATE Tuesday (Day) 29 (Date) May (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	2	5	SCT	29.98	75	70	5	1750	CU			
02	070	2	5	SCT	29.97	75	70	5	1750	CU			
03	070	2	5	SCT	29.96	75	70	5	1750	CU			
04	075	3	6	SCT	29.97	74	73	5	350	SC			
05	070	3	6	SCT	29.97	74	73	5	350	SC			
06	070	3	6	BKN	29.97	74	73	6	350	SC			
07	090	6	6	BKN	29.99	83	73	8	3500	AC			
08	090	7	7	SCT	29.99	82	72	3	3500	AC			
09	070	5	7	BKN	30.01	82	72	6	3500	AC			
10	075	4	7	BKN	30.01	82	72	6	3500	AC			
11	075	6	7	BKN	30.01	82	72	7	3500	AC			
12	075	5	7	BKN	30.01	83	73	7	3500	AC			
13	080	4	7	BKN	30.00	83	72	7	3500	AC			
14	080	4	7	BKN	29.99	83	72	7	3500	AC			
15	080	5	7	BKN	29.98	81	71	7	3500	AC			
16	080	5	7	BKN	29.98	80	71	7	3200	AC			
17	080	7	7	BKN	29.98	79	71	6	3500	AC			
18	080	8	7	BKN	29.99	78	70	6	3500	CU			
19	075	8	7	BKN	29.99	77	70	6	3450	CU			
20	070	5	7	BKN	30.00	77	70	6	3450	CU			
21	075	3	6	BKN	30.01	77	70	6	3450	CU			
22	075	2	6	BKN	30.02	76	69	6	3450	CU			
23	075	4	6	BKN	30.03	75	69	6	3200	SC			
24	080	4	6	BKN	30.02	75	70	6	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400:

REMARKS

00-04 Moored port side to in berth Bravo fifteen (B-15) U.S. Naval Shipyard, Pearl Harbor, Hawaii with standard mooring lines doubled to the pier. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific fleet, yard and district craft SOPA is ComASW For Pac. Material Condition Yoke is set in below deck spaces.

R. L. Walker
Lt.(jg) USN

04-08 Moored as before 0750 Mustered the crew at quarters absentee: none

R. L. Walker
Lt.(jg) USN

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: R. L. Walker U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 30 (Date) MAY (Month), 19 62

08-12: MOORED AS BEFORE. 0810 MUSTERED DUTY SECTION ON STATIONS; ABSENTEES NONE. 1120 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. L. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

W. L. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. L. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

W. L. Swan, ENS, USNR

APPROVED:

[signature] CDR, U. S. N. COMMANDING

EXAMINED:

R. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 31 (Date) MAY (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	005	1	2	OVC	30.00	72	69	10	1050	CU			
02	000	1	2	OVC	29.99	72	69	10	1050	CU			
03	000	1	2	OVC	29.97	72	69	10	1050	CU			
04	000	2	2	BKN	29.95	72	69	6	1050	CU			
05	030	1	2	BKN	29.93	72	69	6	1050	CU			
06	035	1	2	BKN	29.95	74	71	6	1050	CU			
07	040	1	5	SCT	29.97	75	72	4	1050	CU			
08	045	1	6	SCT	29.98	78	74	4	1400	CU			
09	040	1	6	SCT	29.98	83	84	4	1400	CU			
10	050	1	7	SCT	29.97	88	86	4	700	ST			
11	050	1	7	SCT	29.97	87	84	3	1050	CU			
12	060	2	7	SCT	29.97	90	86	3	1400	CU			
13	060	2	7	SCT	29.97	88	84	3	1400	CU			
14	060	2	7	SCT	29.95	87	85	4	700	ST			
15	060	1	7	SCT	29.91	86	84	3	700	ST			
16	060	1	7	SCT	29.91	83	81	3	700	ST			
17	060	1	7	SCT	29.91	78	76	3	700	ST			
18	060	1	7	SCT	29.91	78	76	4	700	ST			
19	060	1	7	SCT	29.91	78	76	4	700	ST			
20	060	1	7	SCT	29.91	78	75	4	1050	CU			
21	060	1	7	SCT	29.91	78	75	4	1050	CU			
22	060	1	7	SCT	29.91	78	74	4	1400	CU			
23	060	1	7	SCT	29.91	78	76	4	700	ST			
24	—	—	7	SCT	29.91	76	74	4	700	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400:

REMARKS

~~00~~-~~04~~: MOORED PORT SIDE TO BERTH BRAVO-FIFTEEN (B-15), U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

W. L. Swan, ENS, USNR

~~04~~-~~08~~: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

W. L. Swan, ENS, USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 31 (Date) MAY (Month), 19 62

08-12. Moored as before. 0823. Made daily inspection of magazine and smoke less powder samples. Condition normal

J. E. Hoffey CWO USN

12-16. Moored as before. 1725 In accordance with Bu Pers Orders 117790 of 24 January 1962 ENS. LESLIE E HORTON USN. 182341/6002 reported on board for duty

J. E. Hoffey CWO USN.

16-20. Moored as before. 1800 Set material condition Yoke Second Section and below. 1925 Held fire drill in C-202-L. 1937 Secured from fire drill

J. E. Hoffey CWO USN.

20-24. Moored as before.

J. E. Hoffey CWO USN.

APPROVED: CDR U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____, 19____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR